

Cite

United States Patent [19]
Johnson

[11] **Patent Number:** 4,575,373
[45] **Date of Patent:** Mar. 11, 1986

[54] **LASER ADJUSTABLE INTRAOCULAR LENS
AND METHOD OF ALTERING LENS
POWER**

[76] **Inventor:** Don R. Johnson, 9131 Piscataway
Rd., Clinton, Md. 20735

[21] **Appl. No.:** 667,648

[22] **Filed:** Nov. 2, 1984

[51] **Int. Cl.⁴** A61F 2/16

[52] **U.S. Cl.** 623/6

[58] **Field of Search** 3/13; 128/303.1;
351/160 R, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,253,199 3/1981 Banko 3/13
4,373,218 2/1983 Schachar 3/13

4,461,294 7/1984 Baron 128/303.1

Primary Examiner—Richard J. Apley

Assistant Examiner—James Prizant

Attorney, Agent, or Firm—Allegretti, Newitt, Witcoff &
McAndrews, Ltd.

[57]


ABSTRACT

A laser beam is utilized to alter, in situ, the power of an implanted intraocular lens. The overall intraocular lens can be of conventional size and shape. The circumference, or outer ring of the lens is manufactured from a non-toxic heat shrinkable plastic. The plastic is preferably colored to permit selective absorption of laser energy thereby causing the shape, and thus the corrective power, of the lens to change. The invention is particularly useful for correcting postoperative astigmatism.

12 Claims, 4 Drawing Figures

128/303.1

*doesn't say up here
but will
inherently
clear.*



use

*Start w/
low power
change it
w/ laser*

[54] ALTERABLE REFRACTIVE POWER
INTRAOCULAR LENSES

[76] Inventor: Gholam A. Peyman, 535 N. Michigan
Ave., Apt. 3001, Chicago, Ill. 60611

[21] Appl. No.: 878,368

[22] Filed: Jun. 25, 1986

[51] Int. Cl.⁴ A61F 2/16

[52] U.S. Cl. 623/6

[58] Field of Search 623/6

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|-----------|--------|----------|-------|
| 4,253,199 | 3/1981 | Banko | 623/6 |
| 4,373,218 | 2/1983 | Schachar | 623/6 |
| 4,573,998 | 3/1986 | Mazzocco | 623/6 |
| 4,585,457 | 4/1986 | Kalb | 623/6 |


Primary Examiner—Ronald L. Frinks

Attorney, Agent, or Firm—Thomas A. Kmietek

[57] ABSTRACT

Disclosed are intraocular lenses where the refractive power is fixed at implantation while offering the benefit of changing the refractive power ~~subsequently with~~ little or no surgical invasion and in a nearly atraumatic manner. The intraocular lenses are comprised of a central lenticular portion having a chamber therein and having at least one refractive, rupturable membrane which can be ruptured subsequent to implantation thus changing the refractive power of the lenses. The intraocular lenses can be implanted in either the posterior chamber or capsular bag.

14 Claims, 7 Drawing Figures



Cite



US005571177A

United States Patent [19]
Deacon et al.

[11] **Patent Number:** **5,571,177**
 [45] **Date of Patent:** **Nov. 5, 1996**

[54] **IOL STRUCTURED FOR POST-OPERATIVE RE-POSITIONING AND METHOD FOR POST-OPERATIVE IOL RE-POSITIONING**

[75] **Inventors:** **Jim Deacon, Capistrano Beach; Glenn R. Sussman, Lake Forest; Joseph I. Weinschenk, III, Laguna Niguel, all of Calif.**

[73] **Assignee:** **Allergan, Irvine, Calif.**

[21] **Appl. No.:** **77,810**

[22] **Filed:** **Jun. 14, 1993**

[51] **Int. Cl.⁶** **A61F 2/16**

[52] **U.S. Cl.** **623/6**

[58] **Field of Search** **623/6**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-----------|---------|----------------|-------|
| 4,134,161 | 1/1979 | Bayers | 623/6 |
| 4,136,466 | 1/1979 | Wruce | |
| 4,219,721 | 8/1980 | Kamen et al. | |
| 4,403,354 | 9/1983 | Rainin | 623/6 |
| 4,435,855 | 3/1984 | Pannu | 623/6 |
| 4,443,441 | 4/1984 | Galin | |
| 4,463,457 | 8/1984 | Kelman | 623/6 |
| 4,575,373 | 3/1986 | Johnson | 623/6 |
| 4,585,456 | 4/1986 | Blackmore | 623/6 |
| 4,617,023 | 10/1986 | Peyman | 623/6 |
| 4,642,113 | 2/1987 | Dubroff | 623/6 |
| 4,661,109 | 4/1987 | White | 623/6 |
| 4,662,882 | 5/1987 | Hoffer | 623/6 |
| 4,666,445 | 5/1987 | Tillay | 623/6 |
| 4,676,793 | 6/1987 | Bechert, II | 623/6 |
| 4,681,585 | 7/1987 | Sayano et al. | 623/6 |
| 4,685,921 | 8/1987 | Peyman | 623/6 |
| 4,685,922 | 8/1987 | Peyman | 623/6 |
| 4,781,718 | 11/1988 | Lindstrom | 623/6 |
| 4,834,753 | 5/1989 | Sulc et al. | 623/6 |
| 4,872,876 | 10/1989 | Smith | 623/6 |
| 4,946,470 | 8/1990 | Sulc et al. | 623/6 |
| 5,108,429 | 4/1992 | Wiley | 623/6 |
| 5,147,395 | 9/1992 | Willis | 623/6 |
| 5,269,813 | 12/1993 | Yoshida et al. | 623/6 |
| 5,288,293 | 2/1994 | O'Donnell, Jr. | 623/6 |

FOREIGN PATENT DOCUMENTS

| | | | |
|-----------|---------|--------------------|-------|
| 0094158 | 11/1983 | European Pat. Off. | |
| 478929 | 11/1983 | European Pat. Off. | |
| 0278724 | 8/1988 | European Pat. Off. | |
| 0336318 | 10/1989 | European Pat. Off. | |
| 1424828 | 9/1988 | U.S.S.R. | |
| WO8701931 | 4/1987 | WIPO | |
| 9007914 | 7/1990 | WIPO | 623/6 |

OTHER PUBLICATIONS

Friedberg et al, A new technique for repositioning and fixating a dislocated intraocular lens, Arch Ophthalmol, Mar. 1992, 110 (3) pp. 413-415 Abstract Only.

Chan, An improved technique for management of dislocated posterior chamber implants, Ophthalmology, Jan. 1992, 99 (1) pp. 51-57 Abstract Only.

Bowman et al, Noninvasive repositioning of a posterior chamber intraocular lens following pupillary capture, J Cataract Refract Surg, Nov. 1991, 17 (6) pp. 843-847 Abstract Only.

Flynn et al, Management of subluxated and posteriorly dislocated intraocular lenses using pars plana vitrectomy instrumentation, J Cataract Refract Surg, Jan. 1990, 16 (1) pp. 51-56 Abstract Only.

Smiddy, Dislocated posterior chamber intraocular lens. A new technique of management, Arch Ophthalmol, Nov. 1989, 107 (11) pp. 1678-1680 Abstract Only.

Neumann et al, Complications associated with STAAR silicone implants, J Cataract Refract Surg, Nov. 1987, 13 (6) pp. 653-656 Abstract Only.

(List continued on next page.)

Primary Examiner—Mary Beth Jones
Attorney, Agent, or Firm—Frank J. Uxa


[57] **ABSTRACT**

A new intraocular lens (IOL) is disclosed. In one embodiment, this IOL comprises an optic and, secured to the optic, a fixation member including at least one alterable portion structured to be altered after the intraocular lens is placed in an eye to at least assist in controllably repositioning the optic in the eye.

13 Claims, 2 Drawing Sheets

keep
Cite

repositions laterally
does not mention wing



does not mention caps bag accommodation or changing power

Cite



US006413277B1

(12) **United States Patent**
Neuhann

(10) Patent No.: **US 6,413,277 B1**
(45) Date of Patent: **Jul. 2, 2002**

(54) **METHOD FOR INTRAOCULAR LENS
INSERTION AND APPARATUS**

(76) Inventor: **Tobias H. Neuhann, Clemensstrasse
94, Munich (DE), 80331**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/574,151**

(22) Filed: **May 18, 2000**

(51) Int. Cl.⁷ **A61F 2/16**

(52) U.S. Cl. **623/6.39; 623/6.11; 623/6.38;
623/6.41; 623/6.43**

(58) Field of Search **623/5.12, 6.11,
623/6.14, 6.38, 6.39, 6.4, 6.41, 6.42, 6.43,
6.44, 6.45, 6.51**

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,113,088 A * 9/1978 Blinkhorst 206/210
4,280,232 A * 7/1981 Hummel 623/6
4,446,581 A * 5/1984 Blake 623/6
4,542,540 A * 9/1985 White
4,726,367 A * 2/1988 Shoemaker 128/303
5,047,051 A * 9/1991 Cumming 623/6

5,766,244 A 6/1998 Binder
5,824,074 A 10/1998 Koch
5,843,184 A 12/1998 Clonni
5,919,230 A 7/1999 Sambursky
2001/0004708 A1 * 6/2001 Nagai 623/4.1

FOREIGN PATENT DOCUMENTS

EP 0884030 12/1998
EP 0 884 031 12/1998
EP 0968727 1/2000

* cited by examiner

Primary Examiner—Paul B. Prebilic
Assistant Examiner—Will H Matthews


(74) Attorney, Agent, or Firm—Sam Silverberg

(57) **ABSTRACT**

An improved method of inserting an intraocular lens into an eye comprising removing an existing lens so as to leave a capsular bag intact; at least partially inserting an intraocular lens having at least one haptic incorporating an aperture therein into the capsular bag; and inserting a capsular tension ring into the capsular bag such that the capsular tension ring passes through the aperture is disclosed. A replacement lens arrangement and a sterile packaging therefore are also disclosed.

14 Claims, 4 Drawing Sheets

Could use



Cite



US 20020133228A1

(19) **United States**

(12) **Patent Application Publication**
Sarver

(10) Pub. No.: **US 2002/0133228 A1**

(43) Pub. Date: **Sep. 19, 2002**

(54) **ADJUSTABLE INTRAOCULAR LENS**

Related U.S. Application Data

(76) Inventor: **Edwin J. Sarver, Merritt Island, FL (US)**

(60) Provisional application No. 60/275,220, filed on Mar. 13, 2001, now abandoned.

Correspondence Address:

Michael A. Slavin

McHale & Slavin, P.A.

Suite 402

4440 PGA Boulevard

Palm Beach Gardens, FL 33410 (US)

Publication Classification

(51) Int. Cl.⁷ **A61F 2/16**

(52) U.S. Cl. **623/6.22**

(57)


ABSTRACT

Improved adjustable intraocular lenses are disclosed, in which the shape of the surface(s) of the lens can be modified post-operatively using manual methods or controlled pulses of laser radiation to achieve improved optical correction.

(21) Appl. No.: **10/099,204**

(22) Filed: **Mar. 13, 2002**

Closed fissure neighborhood of high optical power



Opened fissure neighborhood of low optical power

naphtc soft lens fluid

25

w/ 1, 33, 34

1/22/03

Opened



Closed



doesn't say naptc soft

no cont say bag but inherently accommodate

cite



US 20030060878A1

107 w/ 1, 7, 9, 10, 12, 18, 22, 33, 34

(19) United States

(12) Patent Application Publication
Shadduck

(10) Pub. No.: US 2003/0060878 A1

(43) Pub. Date: Mar. 27, 2003

(54) INTRAOCULAR LENS SYSTEM AND
METHOD FOR POWER ADJUSTMENT

Publication Classification

(51) Int. Cl.⁷ A61F 2/16

(52) U.S. Cl. 623/6.13; 623/6.56

(76) Inventor: John H. Shadduck, Tiburon, CA (US)

Correspondence Address:
John H. Shadduck
1490 Vistazo West
Tiburon, CA 94920 (US)

(21) Appl. No.: 10/231,433

(22) Filed: Aug. 29, 2002

Related U.S. Application Data

(60) Provisional application No. 60/316,203, filed on Aug. 31, 2001.

(57) ABSTRACT

An intraocular lens (IOL) that provides means for optical power adjustable following its implantation, for example for use in treating cataract patients. The lens body has first and second surface portion that bound at least one interior chamber or space that extends from the central optic portion to the lens periphery. The interior chamber or space has a microporous body that is intermediate inner and outer portions of the space. In one embodiment, the microporous body is capable of cooperating with an external RF or light source to expose a charge to a charge-carrying fluid within the interior chamber. By this means, fluid flows are induced to alter the optical parameters of the lens.


structure

2, 3, 10

5-laser

fig 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

doesn't see cell bag or fiber window but will



saline solution in chamber

migrates to center & back

*stressed - fig 2
non stressed - fig 3*

fluid removes from periphery into center increasing power

laser can move it - fig 5